# SAFETY DATA SHEET

1. Identification

Product number 1000000638

Product identifier SHOW CAR AMMONIATED GLASS CLEANER

**Company information** SHOW CAR PRODUCTS

53 WELCOME HOME ROAD GRANT, AL 35747 United States

Company phone General Assistance 256-728-4925

Emergency telephone US 1-866-836-8855 Emergency telephone outside 1-952-852-4646

Linergency teleph

US

Version # 01

Recommended use CLEANER
Recommended restrictions None known.

2. Hazard(s) identification

Physical hazardsFlammable aerosolsCategory 1

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol.

**Precautionary statement** 

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**Response** Wash hands after handling.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
2-Butoxyethanol		111-76-2	2.5 - 10
Butane		106-97-8	2.5 - 10
Propane		74-98-6	1 - 2.5
Sodium Nitrite		7632-00-0	0.1 - 1
Other components below	reportable levels		90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

InhalationIf symptoms develop move victim to fresh air. Get medical attention if symptoms persist.Skin contactWash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

protect themselves.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information** 

5. Fire-fighting measures

Suitable extinguishing media

Not available.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do

not breathe fumes.

Extremely flammable aerosol.

General fire hazards

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not get in eyes, on skin, or on clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	PEL	240 mg/m3	
· ,		50 ppm	

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

туре	value	
PEL	1800 mg/m3	
	1000 ppm	
es		
Туре	Value	
TWA	20 ppm	
STEL	1000 ppm	
mical Hazards		
Туре	Value	
TWA	24 mg/m3	
	5 ppm	
TWA	1900 mg/m3	
	800 ppm	
TWA	1800 mg/m3	
	1000 ppm	
	PEL PS Type TWA STEL mical Hazards Type TWA TWA	PEL 1800 mg/m3 1000 ppm  PS  Type Value  TWA 20 ppm  STEL 1000 ppm  mical Hazards Type Value  TWA 24 mg/m3  TWA 1900 mg/m3 800 ppm  TWA 1800 mg/m3

Value

## **Biological limit values**

<b>ACGIH Biological</b>	<b>Exposure Indices</b>	
-------------------------	-------------------------	--

Components	Value	Determinant	Specimen	Sampling Time
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA),	Creatinine in urine	*
		with hydrolysis		

<sup>\* -</sup> For sampling details, please see the source document.

### **Exposure guidelines**

US - California OELs: Skin designation

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

**US - Tennessee OELs: Skin designation** 

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

air-supplied respirator.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

SDS US

## 9. Physical and chemical properties

**Appearance** 

Physical state Gas.
Form Aerosol.
Color Not available.
Odor Not available.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.

Initial boiling point and boiling

212 °F (100 °C) estimated

range

Flash point -156.0 °F (-104.4 °C) PROPELLANT estimated

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 0.97 estimated

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition**No hazardous decomposition products are known.

products

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

**Skin contact** 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and

prolonged. These effects have not been observed in humans.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

**Acute toxicity** 

Acute   Inhalation	Components	Species	Test Results
Dermal	2-Butoxyethanol (CAS 111-76	5-2)	
LD50   Guinea pig   7.3 ml/kg, 4 Days   0.23 ml/kg, 24 Hours   435 mg/kg, 24 Hours   435 mg/kg, 24 Hours   0.63 ml/kg   44 Hours   450 ppm, 7 Hours   450 ppm, 4 Hours   45	<u>Acute</u>		
Rabbit   Rabbit   Rabbit   A35 mg/kg, 24 Hours   A35 mg/kg, 24 H			
Rabbit   R	LD50	Guinea pig	7.3 ml/kg, 4 Days
Rat   Rat			0.23 ml/kg, 24 Hours
Rat   Rat   2000 mg/kg, 24 Hours   2000 mg/kg		Rabbit	435 mg/kg, 24 Hours
Inhalation   CC50			0.68 ml/kg, 24 Hours
Inhalation			0.63 ml/kg
LC50       Rabbit       400 ppm, 7 Hours         Oral       450 ppm, 4 Hours         LD100       Rabbit       695 mg/kg         LD50       Dog       > 695 mg/kg         Guinea pig       1414 mg/kg         Mouse       1519 mg/kg         Butane (CAS 106-97-8)       Acute       1746 mg/kg         Inhalation       1237 mg/l, 120 Minutes         LC50       Mouse       1355 mg/l         Propane (CAS 74-98-6)       Acute       Inhalation         LC50       Mouse       1237 mg/l, 120 Minutes         Acute       Inhalation       1237 mg/l, 120 Minutes         LC50       Mouse       1237 mg/l, 120 Minutes         52 %, 120 Minutes       52 %, 120 Minutes         Sodium Nitrite (CAS 7632-00-0)       Acute       1355 mg/l         Oral       Acute       Oral		Rat	> 2000 mg/kg, 24 Hours
Oral         LD100         Rabbit         695 mg/kg           LD50         Dog         > 695 mg/kg           LD50         Guinea pig         1414 mg/kg           Mouse         1519 mg/kg           Butane (CAS 106-97-8)         Rat         1746 mg/kg           LC50         Mouse         1237 mg/l, 120 Minutes           LC50         Mouse         1237 mg/l, 120 Minutes           Frepane (CAS 74-98-6)         Kat         1355 mg/l           Acute Inhalation         1237 mg/l, 120 Minutes           LC50         Mouse         1237 mg/l, 120 Minutes           LC50         Mouse         1237 mg/l, 120 Minutes           Scotium Nitrite (CAS 7632-00-0)         Rat         1355 mg/l           Acute Oral         1237 mg/l, 120 Minutes	Inhalation		
Doral   LD100   Rabbit   695 mg/kg   5695	LC50	Rabbit	400 ppm, 7 Hours
LD100 Rabbit 695 mg/kg LD50 Dog > 695 mg/kg  Guinea pig 1414 mg/kg  Mouse 1519 mg/kg  Rat 1746 mg/kg  Butane (CAS 106-97-8)  Acute Inhalation  LC50 Mouse 1237 mg/l, 120 Minutes  Fat 1355 mg/l  Propane (CAS 74-98-6)  Acute Inhalation  LC50 Mouse 1237 mg/l, 120 Minutes  52 %, 120 Minutes  52 %, 120 Minutes  Fat 1355 mg/l  Sodium Nitrite (CAS 7632-00-0)  Acute Oral		Rat	450 ppm, 4 Hours
LD50   Dog   > 695 mg/kg     Guinea pig   1414 mg/kg     Mouse   1519 mg/kg     Rat   1746 mg/kg     Butane (CAS 106-97-8)     Acute   Inhalation     LC50   Mouse   1237 mg/l, 120 Minutes     Fropane (CAS 74-98-6)     Acute   Inhalation     LC50   Mouse   1355 mg/l     Fropane (CAS 74-98-6)     Acute   Inhalation     LC50   Mouse   1237 mg/l, 120 Minutes     Fropane (CAS 74-98-6)     Acute   Inhalation     LC50   Mouse   1237 mg/l, 120 Minutes     52 %, 120 Minutes     Fat   1355 mg/l     658 mg/l/4h     Sodium Nitrite (CAS 7632-00-0)     Acute   Oral	Oral		
Guinea pig	LD100	Rabbit	695 mg/kg
Mouse	LD50	Dog	> 695 mg/kg
Rat   1746 mg/kg		Guinea pig	1414 mg/kg
Butane (CAS 106-97-8)    Acute   Inhalation		Mouse	1519 mg/kg
Acute   Inhalation		Rat	1746 mg/kg
Inhalation	Butane (CAS 106-97-8)		
LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes 52 %, 120 Minutes 52 %, 120 Minutes 1355 mg/l  Propane (CAS 74-98-6)	<u>Acute</u>		
Second			
Propane (CAS 74-98-6)   Acute   Inhalation   1237 mg/l, 120 Minutes   125 mg/l   125 mg/l   120 Minutes   125 mg/l   12	LC50	Mouse	
Propane (CAS 74-98-6)  Acute Inhalation  LC50  Mouse  Rat  Rat  1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l 658 mg/l/4h  Sodium Nitrite (CAS 7632-00-0) Acute Oral			52 %, 120 Minutes
Acute   Inhalation   LC50   Mouse   1237 mg/l, 120 Minutes   52 %, 120 Minutes   52 %, 120 Minutes   1355 mg/l   658 mg/l/4h   Sodium Nitrite (CAS 7632-00-0)   Acute   Oral		Rat	1355 mg/l
Inhalation LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l 658 mg/l/4h  Sodium Nitrite (CAS 7632-00-0) Acute Oral	Propane (CAS 74-98-6)		
LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l 658 mg/l/4h  Sodium Nitrite (CAS 7632-00-0) Acute Oral			
52 %, 120 Minutes  Rat 1355 mg/l  658 mg/l/4h  Sodium Nitrite (CAS 7632-00-0)  Acute Oral			
Rat 1355 mg/l 658 mg/l/4h Sodium Nitrite (CAS 7632-00-0) Acute Oral	LC50	Mouse	
658 mg/l/4h Sodium Nitrite (CAS 7632-00-0)  Acute Oral			
Sodium Nitrite (CAS 7632-00-0)  Acute Oral		Rat	
Acute Oral			658 mg/l/4h
Oral	•	0)	
	·		
		Det	190 mg/kg
LDSU Rat 100 Hg/kg	LD50	Rat	180 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eyeDirect contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

Product name: SHOW CAR AMMONIATED GLASS CLEANER
Product #: 1000000638 Version #: 01 Issue date: 08-08-2017

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** May be harmful if absorbed through skin.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and

prolonged. These effects have not been observed in humans.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
2-Butoxyethanol (CAS	3 111-76-2)		
Aquatic			
Fish	LC50	Inland silverside (Menidia beryllina)	1250 mg/l, 96 hours
Sodium Nitrite (CAS 7	632-00-0)		
Aquatic			
Crustacea	EC50	Greasyback shrimp (Metapenaeus ensis)	16.14 - 26.61 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.15 - 0.25 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

 2-Butoxyethanol
 0.83

 Butane
 2.89

 Propane
 2.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

### Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## 14. Transport information

DOT

UN1950 **UN** number

**UN** proper shipping name Aerosols, flammable, (each not exceeding 1 L capacity)

Transport hazard class(es)

Class 2.1 Subsidiary risk 2.1 Label(s)

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions N82 Packaging exceptions 306 Packaging non bulk None Packaging bulk None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking.

IATA

UN1950 **UN** number

Aerosols, flammable **UN** proper shipping name

Transport hazard class(es)

2.1 Class Subsidiary risk 2.1 Label(s)

Packing group Not applicable.

**Environmental hazards** No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**Packaging Exceptions** LTD QTY

**IMDG** 

UN1950 **UN** number **UN** proper shipping name **AEROSOLS** 

Transport hazard class(es)

Class 2.1 Subsidiary risk Label(s) 2.1

Packing group Not applicable.

**Environmental hazards** 

Marine pollutant No. F-D. S-U **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

LTD QTY **Packaging Exceptions** Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

Product name: SHOW CAR AMMONIATED GLASS CLEANER Product #: 1000000638 Version #: 01 Issue date: 08-08-2017



IATA; IMDG



# 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Sodium Nitrite (CAS 7632-00-0)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
2-Butoxyethanol	111-76-2	2.5 - 10	
Sodium Nitrite	7632-00-0	0.1 - 1	

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Safe Drinking Water Act

Not regulated.

(SDWA)

**US** state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

## US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

2-Butoxyethanol (CAS 111-76-2)

Butane (CAS 106-97-8)

#### **US. Massachusetts RTK - Substance List**

2-Butoxyethanol (CAS 111-76-2)

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

## US. New Jersey Worker and Community Right-to-Know Act

2-Butoxyethanol (CAS 111-76-2)

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

# US. Pennsylvania Worker and Community Right-to-Know Law

2-Butoxyethanol (CAS 111-76-2)

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

#### **US. Rhode Island RTK**

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 08-08-2017

Version # 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names

Product name: SHOW CAR AMMONIATED GLASS CLEANER